




CONFIDENTIAL




SRHGE EXI-VENT
SIZE: 3600 X 1200 mm
UPSTAND HEIGHT: 300 mm
MATERIAL: ALUMINIUM
GLASS: CLEAR
INSULATION: 50mm

INTERNAL COLOUR: MILL FINISH
EXTERNAL COLOUR: MILL FINISH

APPROX. WEIGHT: 469.8kg



A-A
CLOSED VIEW



B-B
CLOSED VIEW


TYPICAL GLASS SPECIFICATION:
35.5mm SEALED DOUBLE GLAZED UNIT COMPRISES OF:
6mm PILKINGTON TOUGHENED K POLISHED ALL ROUND OUTER PANE,
20mm WARM EDGE SILVER SPACER BAR ARGON FILLED,
9.5mm PILKINGTON TOUGHENED & LAMINATED INNER PANE,
U-VALUE OF 1.5W/m²K

Surespan Limited 2021. All intellectual property rights retained. This drawing and its contents are the property of Surespan Limited and must not be disclosed in part or wholly to any third party without the written permission of Surespan Limited

The article shown is also the subject of:
Patent rights
Registered design right
Unregistered rights
The drawing is a design document
Patent pending

			DIMENSIONS ARE IN MILLIMETERS U.O.S TOLERANCES: X +/- 2mm, X.X +/- 0.2mm DO NOT SCALE DRAWING - IF IN DOUBT ASK	A3
DRAWN	NAME	DATE:	TITLE: EXI-VENT (GLAZED) 3600 X 1200 mm	
CHECK'D				
APPV'D				
DEBUR AND BREAK SHARP EDGES	MATERIAL:	N/A	DWG NO.	SCALE: 1:20
	FINISH:		EXI-VENT-G-3600-1200-01-0001	REVISION: A
	WEIGHT:	469.8 KG	STATUS:	SHEET: 1 of 3



CONFIDENTIAL



SRHGE EXI-VENT
SIZE: 3600 X 1200 mm
UPSTAND HEIGHT: 300 mm
MATERIAL: ALUMINIUM
GLASS: CLEAR
INSULATION: 50mm

INTERNAL COLOUR: MILL FINISH
EXTERNAL COLOUR: MILL FINISH

APPROX. WEIGHT: 469.8kg



B-B
CLOSED VIEW

A-A
CLOSED VIEW

TYPICAL GLASS SPECIFICATION:
35.5mm SEALED DOUBLE GLAZED UNIT COMPRISES OF:
6mm PILKINGTON TOUGHENED K POLISHED ALL ROUND OUTER PANE,
20mm WARM EDGE SILVER SPACER BAR ARGON FILLED,
9.5mm PILKINGTON TOUGHENED & LAMINATED INNER PANE,
U-VALUE OF 1.5W/m²K

			DIMENSIONS ARE IN MILLIMETERS U.O.S TOLERANCES: X +/- 2mm, X.X +/- 0.2mm DO NOT SCALE DRAWING - IF IN DOUBT ASK	A3
DRAWN	NAME	DATE:	TITLE: EXI-VENT (GLAZED) 3600 X 1200 mm	
CHECK'D				
APPV'D				
DEBUR AND BREAK SHARP EDGES	MATERIAL:	N/A	DWG NO.	SCALE: 1:20
	FINISH:		EXI-VENT-G-3600-1200-01-0001	REVISION: A
	WEIGHT:	469.8 KG	STATUS:	SHEET: 2 of 3

Surespan Limited 2021. All intellectual property rights retained. This drawing and its contents are the property of Surespan Limited and must not be disclosed in part or wholly to any third party without the written permission of Surespan Limited

The article shown is also the subject of:
Patent rights
Registered design right
Unregistered rights
The drawing is a design document
Patent pending

CONFIDENTIAL

SRHGE EXI-VENT
SIZE: 3600 X 1200 mm
UPSTAND HEIGHT: 300 mm
MATERIAL: ALUMINIUM
GLASS: CLEAR
INSULATION: 50mm

INTERNAL COLOUR: MILL FINISH
EXTERNAL COLOUR: MILL FINISH

APPROX. WEIGHT: 469.8kg

HATCH SECTION IS
OPERATED BY 2 X 24V
DC ACTUATORS

ELECTROMAGNETIC
LOCKING (AOV SIDE)

REMOVEABLE LIFTING
EYES ARE RECOMMENDED
TO LIFT A HATCH OF THIS
WEIGHT AND SIZE

2 X MANUAL
STAY ARMS

Ø9mm FIXING HOLES
SUITABLE FIXINGS
BY OTHERS

TYPICAL GLASS SPECIFICATION:
35.5mm SEALED DOUBLE GLAZED UNIT COMPRISES OF:
6mm PILKINGTON TOUGHENED K POLISHED ALL ROUND OUTER PANE,
20mm WARM EDGE SILVER SPACER BAR ARGON FILLED,
9.5mm PILKINGTON TOUGHENED & LAMINATED INNER PANE,
U-VALUE OF 1.5W/m²K

Surespan Limited 2021. All intellectual property rights retained. This drawing and its contents are the property of Surespan Limited and must not be disclosed in part or wholly to any third-party without the written permission of Surespan Limited

The article shown is also the subject of:
Patent rights
Registered design right
Unregistered rights
The drawing is a design document
Patent pending

			DIMENSIONS ARE IN MILLIMETERS U.O.S TOLERANCES: X +/- 2mm, X.X +/- 0.2mm DO NOT SCALE DRAWING - IF IN DOUBT ASK	A3
	NAME	DATE:	TITLE:	
DRAWN			EXI-VENT (GLAZED) 3600 X 1200 mm	
CHECK'D				
APPV'D				
DEBUR AND BREAK SHARP EDGES	MATERIAL:	N/A	DWG NO.	SCALE: 1:17
	FINISH:		EXI-VENT-G-3600-1200-01-0001	REVISION: A
	WEIGHT:	469.8 KG	STATUS:	SHEET: 3 of 3